

SELASTIN TOX^{GFI}

ANTI WRINKLE & WHITENING SOLUTION





Other Skin Booster

Temporary
Skin Treatment



Hyaluronic acid,
vitamins,
amino acids,
Coenzymes,
nucleic acids,
minerals

VS

SELASTIN TOX^{GFI}

Fundamental
Skin Environment Improvement





Cell Growth Factors
(VEGF, FGF, IGF)

Collagen & Elastin Promote
Regeneration

Anti-Wrinkle & Anti-pigmentation
Related Peptides

Glutathione Whitening

Anti-oxidant Vitamins





Main Ingredients





Main Active Ingredients



Anti – Wrinkle Effect

Dipeptide Diaminobutyroyl Benzylamide (Syn-AKE)
Acetyl Hexapeptide-8, Galloyl Pentapeptide-74(Seatide)



Dipeptide Diaminobutyroyl benzylamide & Acetyl Hexapeptide-8 are protein components of vegetable amino acid which are excellent for getting rid of wrinkles and enhance skin tightening.

It helps reduce existing wrinkles and suppressing(reducing) newly formed wrinkles.

It is a non-irritating and nontoxic component. And as a substitute for Botox, you can expect fast absorption with safely with fewer side effects.

Seatide is a unique product of the Manufacturer that combines a peptide derived from oyster.

Anti-wrinkle with high collagen mRNA expression and main effects include anti-oxidation, anti-inflammatory, anti-wrinkle effects, and excellent skin soothing effect.





Main Active Ingredients




Collagen & Elastin regeneration

EGF, FGF, IGF (1,000 PPM)

Palmitoyl Pentapeptide-4, Palmitoyl Tetrapeptide-7

EGF(Epidermal Growth Factor), FGF(Fibroblast Growth Factor) and IGF(Insulin-like Growth Factor) ingredients speed up the production of collagen and elastin cells in the skin and stimulate collagen, elastin, hyaluronic acid production in skin itself. Therefore, It reduces wrinkles and improves skin elasticity by creating beautiful and healthy skin. The new cell formation removes Sediment in the skin, resulting in a fundamental brightening improvement.







Main Active Ingredients



Antioxidant Effect

Vitamin C, B2, B3, B12, Nicotinoyl Tripeptide-1, Adenosine

Melanin (skin pigment) is produced due to prolonged exposure to the sun and free radical damages. Antioxidants fight both the causes and moreover it decreases production of melanin. Inflammation slows down the skin's renewal process. By reducing inflammation, antioxidants allow skin to repair itself and quickly repair skin damage. Antioxidants like vitamin C and B group, can also stimulate collagen production.






Main Active Ingredients



Anti-pigmentation & Glutathione Brightening

Glutathione, Vitamin C, Arbutin, Nonapeptide-1

Glutathione is a potent antioxidant and aids in reducing free radical damages via UV Rays and environmental aggressors. It helps to reduce fine lines, age spots and fights the toxins that cause skin damage. Glutathione is renowned for its skin lightening benefits. It helps one achieve lighter youthful skin tone. By regulating the melanin production, it helps to even out skin tone, reduce dark spots, blemishes, and acne scars. Glutathione provides anti-inflammatory properties and thus reduces the levels of inflammation. On top of that it helps in reducing acne, eczema, and other skin concerns caused by inflammation.





Recommend

SELASTIN TOX^{GFII}



If you're struggling with wrinkles caused by the loss of skin elasticity

If you have loss of firmness and sagging skin

If you have a weak skin barrier

If you're worried about getting wrinkles and its deepening

If your skin is frequently exposed to UV rays and is prone to hyperpigmentation





Treatment Areas

SELASTIN TOX GFI





SELASTIN TOX^{GFI}

Do not use more than 0.2 cc of SELASTIN TOX ampoule at each point. The needle depth must be adjusted according to the skin thickness and treatment area.
Diagonal 0.2 to less than 1.5 mm



Needle depth by applicable site (mm):

- Forehead : Diagonal 0.2~0.5mm
- Worry lines : Diagonal 0.25~0.5mm
- Crow feet : Diagonal 0.2~0.25mm
- Cheek : Diagonal 0.2~1.5mm
- Chin : Diagonal 0.2~1.5mm

- * Adjust the dosage and depth according to treatment area.
- * The procedure is recommended to use 1 times two weeks.






Please keep it away from direct sunlight.



Keep it in a shady place.



Store below 30 degrees Celsius



Opened products are refrigerated at 5 to 10 degrees and must be used within 7 days.



Cautions



The opened ampoule should be used immediately.

Use a correct dose for the application site.

Do not mix with other solutions.

Do not irritate or massage the treatment site

Do not use on skin sensitive to red spots, itchiness or irritation.

Avoid to be applied it on the wounded part and the part of eczema and dermatitis.

Clean it immediately if the product gets in your eyes.

Be careful not to damage the container. It may cause risk of injury.



Rate of change by test item (%)

Change rate (%) = [(Analysis value after using the product - Analysis value before using the product) / Analysis value before using the product] x 100

Skin pores

17.7% improvement after 4 weeks



Before use

After use



Skin texture

16.4% improvement after 4 weeks



Before use

After use




Skin tone

1.4% improvement after 4 weeks




Before use

After use



Skin moisturizing power

18.8% improvement after 4 weeks



Before

+1Week

+4Weeks

Collagen and Elastin in the skin

3.9% improvement after 4 weeks



Before

+1Week

+4Weeks

Skin translucency

2.8% improvement after 4 weeks



Before

+1Week

+4Weeks



Before & After

SELASTIN TOX ^{GFI}



Before

After

Before

After

Before

After



Thank you.

(Please contact us for more information.)

